


Ponuda Broj :

OKTOBAR 2021

Referenca :

AKCIJA STANDARDNIH PLOČICA ZA STRUGANJE



Kupac Broj	
Datum	
Kontakt	
Telefon	
Mail	

CJENOVNIK - AKCIJSKA PONUDA PLOČICA ZA STRUGANJE

R.b	Naziv Artikla	Šifra / Opis	Tip Obrade (kom)	Min.Količina (kom)	Cijena (KM/kom)
	CNMG (ČELIK)		Kvalitet : YG801		
	CNMG120404 Celik Vc (m/min.) = 120-200	CNMG120404-UF_D-YG801	Fina Obrada	12	4,30
	CNMG120408 Celik Vc (m/min.) = 120-200	CNMG120408-UG_D-YG801	Normalna – Stabilna obrada	12	4,30
	CNMG120408 Celik Vc (m/min.) = 120-200	CNMG120408-MM-YG801	Srednje Gruba Obrada	12	4,30
	CNMG120412 Celik Vc (m/min.) = 120-200	CNMG120412-UR_D-YG801	Gruba Obrada	12	4,30
	CNMG (ČELIK+S.L)		Kvalitet : YG1001		
	CNMG120408 Celik+Sivi Liv	CNMG120408-UM YG1001	Normalna – Stabilna Obrada	10	5,85

 Project Solutions d.o.o
 Čojlučko Polje b.b
 75350 Srebrenik
 Bosna i Hercegovina

 ID : 4210196150004
 PDV : 210196150004

 Reg Broj : 032-0-Reg-15-
 001057
 Rješenje : OPU-IP-290/2015
 MBS : 32-01-0146-15
 mail : info@p-solutions.ba



 Račun (KM) :
 Unikredit Bank d.d , Radnička b.b
 75350 Srebrenik , Bosna i Hercegovina
 Račun : 3386302205449084
 Core Broj : 20025309

	CNMG120412 Celik+Sivi Liv	CNMG120412-UG-YG1001	Normalna – Stabilna Obrada	10	5,85
	CNMG120416 Celik+Sivi Liv	CNMG120416-UG-YG1001	Normalna – Stabilna Obrada	10	5,85
	CNMG120408 Celik+Sivi Liv	CNMG120408-UM YG1001	Normalna – Nestabilna Obrada	10	5,85
	CNMG120404 Celik+Sivi Liv	CNMG120404-UC-YG1001	Srednje Gruba - Stabilna Obrada	10	5,85
	CNMG120408 Celik+Sivi Liv	CNMG120408-UC-YG1001	Srednje Gruba - Stabilna Obrada	10	5,85
	CNMG120412 Celik+Sivi Liv	CNMG120412-UC-YG1001	Srednje Gruba - Stabilna Obrada	10	5,85
	CNMG120408 Celik+Sivi Liv	CNMG120408-KR-YG1001	Gruba Obrada	10	5,85
	CNMG120412 Celik+Sivi Liv	CNMG120412-KR-YG1001	Gruba Obrada	10	5,85
	CNMG160612 Celik+Sivi Liv	CNMG160612-UG-YG1001	Normalna – Stabilna Obrada	10	9,41
	CNMG160616 Celik+Sivi Liv	CNMG160616-UG-YG1001	Normalna – Stabilna Obrada	10	9,41
	CNMG160612 Celik+Sivi Liv	CNMG160612-UR-YG1001	Gruba Obrada	10	9,41
	CNMG160616 Celik+Sivi Liv	CNMG160616-UR-YG1001	Gruba Obrada	10	9,41
	CNMG190612 Celik+Sivi Liv	CNMG190612-UR-YG1001	Gruba Obrada	10	12,58
	CNMG190616 Celik+Sivi Liv	CNMG190616-UR-YG1001	Gruba Obrada	10	12,58
	CNMG (ČELIK)		Kvalitet : YG3015		
	CNMG120408 Celik	CNMG120408-UF-YG3015	Fina Obrada	10	6,45
	CNMG120408 Celik	CNMG120408-UF-YG3015	Fina Obrada	10	6,45

CNMG120404 Celik	CNMG120404-UG-YG3015	Normalna – Stabilna Obrada	10	6,45
CNMG120408 Celik	CNMG120408-UG-YG3015	Normalna – Stabilna Obrada	10	6,45
CNMG120412 Celik	CNMG120412-UG-YG3015	Normalna – Stabilna Obrada	10	6,45
CNMG120408 Celik	CNMG120408-UM-YG3015	Normalna – Nestabilna Obrada	10	6,45
CNMG120412 Celik	CNMG120412-UM-YG3015	Normalna – Nestabilna Obrada	10	6,45
CNMG120408 Celik	CNMG120408-UR-YG3015	Gruba Obrada	10	6,45
CNMG120412 Celik	CNMG120412-UR-YG3015	Gruba Obrada	10	6,45
DNMG (ČELIK)		Kvalitet : YG801		
DNMG150404 Celik Vc (m/min.) = 120-200	DNMG150404–UF_D YG801	Fina Obrada	12	5,00
DNMG150408 Celik Vc (m/min.) = 120-200	DNMG150408–UG_D YG801	Normalna – Stabilna Obrada	12	5,00
DNMG150604 Celik Vc (m/min.) = 120-200	DNMG150604–UF_D YG801	Fina Obrada	12	5,50
DNMG150608 Celik Vc (m/min.) = 120-200	DNMG150608–UG_D YG801	Normalna – Stabilna Obrada	12	5,50
DNMG150612 Celik Vc (m/min.) = 120-200	DNMG150608–UR_D YG801	Gruba Obrada	12	5,50
DNMG (ČELIK+SL)		Kvalitet : YG1001		
DNMG150404 Celik + S.L	DNMG150404–UG- YG1001	Normalna – Stabilna Obrada	10	7,76

DNMG150408 Celik + S.L	DNMG150408-UG- YG1001	Normalna – Stabilna Obrada	10	7,76
DNMG150412 Celik + S.L	DNMG150412-UG- YG1001	Normalna – Stabilna Obrada	10	7,76
DNMG150604 Celik + S.L	DNMG150604-UG- YG1001	Normalna – Stabilna Obrada	10	7,76
DNMG150408 Celik + S.L	DNMG150608-UG- YG1001	Normalna – Stabilna Obrada	10	7,76
DNMG150412 Celik + S.L	DNMG150612-UG- YG1001	Normalna – Stabilna Obrada	10	7,76
DNMG150404 Celik + S.L	DNMG150404-UM-YG1001	Normalna – Nestabilna Obrada	10	7,76
DNMG150604 Celik + S.L	DNMG150604-UM-YG1001	Normalna – Nestabilna Obrada	10	7,76
DNMG150608 Celik + S.L	DNMG150608-UM-YG1001	Normalna – Nestabilna Obrada	10	7,76
DNMG150412 Celik + S.L	DNMG150612-UM- YG1001	Normalna – Nestabilna Obrada	10	7,76
DNMG150408 Celik + S.L	DNMG150408-UC-YG1001	Srednje Gruba – Stabilna Obrada	10	7,76
DNMG150412 Celik + S.L	DNMG150412-UC-YG1001	Srednje Gruba – Stabilna Obrada	10	7,76
DNMG150608 Celik + S.L	DNMG150608-UC-YG1001	Srednje Gruba – Stabilna Obrada	10	7,76
DNMG150612 Celik + S.L	DNMG150612-UC-YG1001	Srednje Gruba – Stabilna Obrada	10	7,76
DNMG150408 Celik + S.L	DNMG150408-UR-YG1001	Gruba Obrada	10	7,76
DNMG150412 Celik + S.L	DNMG150412-UR-YG1001	Gruba Obrada	10	7,76
DNMG150608 Celik + S.L	DNMG150608-UR-YG1001	Gruba Obrada	10	7,76
DNMG150612 Celik + S.L	DNMG150612-UR-YG1001	Gruba Obrada	10	7,76

	DNMG (ČELIK)			Kvalitet : YG3015		
	DNMG150408 Celik	DNMG150408-UF-YG3015		Fina Obrada	10	7,81
	DNMG150412 Celik	DNMG150412-UF-YG3015		Fina Obrada	10	7,81
	DNMG150612 Celik	DNMG150612-UF-YG3015		Fina Obrada	10	7,81
	DNMG150608 Celik	DNMG150608-UG-YG3015		Normalna – Stabilna Obrada	10	7,81
	DNMG150408 Celik	DNMG150408-UC-YG3015		Srednje Gruba – Stabilna Obrada	10	7,81
	DNMG150608 Celik	DNMG150608-UC-YG3015		Srednje Gruba – Stabilna Obrada	10	7,81
	SNMG (ČELIK)			Kvalitet : YG801		
	SNMG120404 Celik Vc (m/min.) = 120-200	SNMG120404-UF YG801		Fina Obrada	12	4,30
	SNMG120408 Celik Vc (m/min.) = 120-200	SNMG120408-UG YG801		Normalna – Stabilna Obrada	12	4,30
	SNMG120412 Celik Vc (m/min.) = 120-200	SNMG120408-UR_D YG801		Gruba Obrada	12	4,30
	SNMG (ČELIK)			Kvalitet : YG1001		
	SNMG120408 Celik + SL	SNMG120408-UC-YG1001		Srednje Gruba – Stabilna Obrada	10	5,85
	SNMG120412 Celik + SL	SNMG120412-UC-YG1001		Srednje Gruba – Stabilna Obrada	10	5,85

	SNMG120408 Celik + SL	SNMG120408-UR-YG1001	Gruba Obrada	10	5,85
	SNMG120412 Celik + SL	SNMG120412-UR-YG1001	Gruba Obrada	10	5,85
	SNMG120416 Celik + SL	SNMG120416-UR-YG1001	Gruba Obrada	10	5,85
	SNMG (ČELIK)		Kvalitet : YG3015		
	SNMG120408 Celik	SNMG120408-UF-YG3015	Fina Obrada	10	6,45
	SNMG120416 Celik	SNMG120416-UG-YG3015	Normalna – Stabilna Obrada	10	6,45
	SNMG120416 Celik	SNMG120416-UR-YG3015	Gruba Obrada	10	6,45
	TNMG (CELIK)		Kvalitet : YG801		
	TNMG160404 Celik Vc (m/min.) = 120-200	TNMG160404 –UF_D- YG801	Fina Obrada	12	4,00
	TNMG160408 Celik Vc (m/min.) = 120-200	TNMG160408 –UG_D- YG801	Normalna – Stabilna Obrada	12	4,00
	TNMG160412 Celik Vc (m/min.) = 120-200	TNMG160412-UR-YG801	Gruba Obrada	12	5,45
	TNMG220404 Celik Vc (m/min.) = 120-200	TNMG220404-UF-YG801	Fina Obrada	10	6,70
	TNMG220408 Celik Vc (m/min.) = 120-200	TNMG220408 –UG_D- YG801	Normalna – Stabilna Obrada	12	4,80
	TNMG220412 Celik Vc (m/min.) = 120-200	TNMG220412 –UR_D- YG801	Gruba obrada	12	4,80



	TNMG (CELIK + SL)			Kvalitet : YG1001		
	TNMG160404 Celik + SL	TNMG160404-UG-YG1001		Normalna –Stabilna Obrada	10	5,45
	TNMG160408 Celik + SL	TNMG160408-UG-YG1001		Normalna –Stabilna Obrada	10	5,45
	TNMG160408 Celik + SL	TNMG160412-UG-YG1001		Normalna –Stabilna Obrada	10	5,45
	TNMG160404 Celik + SL	TNMG160404-UM-YG1001		Normalna – Nestabilna Obrada	10	5,45
	TNMG160408 Celik + SL	TNMG160408-UM-YG1001		Normalna – Nestabilna Obrada	10	5,45
	TNMG160404 Celik + SL	TNMG160404-UC-YG1001		Srednje Gruba Obrada	10	5,45
	TNMG160408 Celik + SL	TNMG160408-UC-YG1001		Srednje Gruba Obrada	10	5,45
	TNMG160412 Celik + SL	TNMG160412-UC-YG1001		Srednje Gruba Obrada	10	5,85
	TNMG160408 Celik + SL	TNMG160408-UR-YG1001		Gruba Obrada	10	5,45
	TNMG160412 Celik + SL	TNMG160412-UR-YG1001		Gruba Obrada	10	5,45
	TNMG220412 Celik + SL	TNMG220412-UR-YG1001		Gruba Obrada	10	6,70
	TNMG220416 Celik + SL	TNMG220416-UR-YG1001		Gruba Obrada	10	6,70
	TNMG (CELIK)			Kvalitet : YG3015		
	TNMG160408 Celik	TNMG160408-UL-YG3015		Srednje Fina Obrada	10	5,95


TNMG160412 Celik	TNMG160412-UL-YG3015	Srednje Fina Obrada	10	5,95
TNMG160408 Celik	TNMG160408-UG-YG3015	Normalna Stabilna Obrada	10	5,95
TNMG160412 Celik	TNMG160412-UG-YG3015	Normalna Stabilna Obrada	10	5,95
TNMG160404 Celik	TNMG160404-UM-YG3015	Normalna Nestabilna Obrada	10	5,95
TNMG160408 Celik	TNMG160408-UM-YG3015	Normalna Nestabilna Obrada	10	5,95
TNMG160412 Celik	TNMG160412-UM-YG3015	Normalna Nestabilna Obrada	10	5,95
TNMG160412 Celik	TNMG160412-UR-YG3015	Gruba Obrada	10	5,95
WNMG (CELIK)		Kvalitet : YG801		
WNMG060404 Čelik Vc (m/min.) = 120-200	WNMG060404-UF YG801	Fina obrada	10	5,00
WNMG060408 Čelik Vc (m/min.) = 120-200	WNMG060408-UF YG801	Normalna Stabilna Obrada	10	5,00
WNMG080404 Čelik Vc (m/min.) = 120-200	WNMG080404-UF-D YG801	Fina obrada	12	5,85
WNMG080408 Čelik Vc (m/min.) = 120-200	WNMG080408-UG YG801	Normalna – Stabilna Obrada	10	5,85
WNMG080412 Čelik Vc (m/min.) = 120-200	WNMG080412-UR_D YG801	Gruba obrada	12	4,30
WNMG (CELIK+SL)		Kvalitet : YG1001		
WNMG080404 Čelik + SL	WNMG080404-UG YG1001	Normalna Stabilna Obrada	10	5,85

	WNMG080408 Čelik + SL	WNMG080408-UG YG1001	Normalna Stabilna Obrada	10	5,85
	WNMG080412 Čelik + SL	WNMG080412-UG YG1001	Normalna Stabilna Obrada	10	5,85
	WNMG060404 Čelik + SL	WNMG060404-UM YG1001	Normalna Nestabilna Obrada	10	5,50
	WNMG060408 Čelik + SL	WNMG060408-UM YG1001	Normalna Nestabilna Obrada	10	5,50
	WNMG060408 Čelik + SL	WNMG080408-UM YG1001	Normalna Nestabilna Obrada	10	5,85
	WNMG080404 Čelik + SL	WNMG080404-UC_ YG1001	Srednje Gruba Obrada	10	5,85
	WNMG080408 Čelik + SL	WNMG080408-UC_ YG1001	Srednje Gruba Obrada	10	5,85
	WNMG080412 Čelik + SL	WNMG080412-UC_ YG1001	Srednje Gruba Obrada	10	5,85
	WNMG080408 Čelik + SL	WNMG080408-UR_ YG1001	Gruba Obrada	10	5,85
	WNMG080412 Čelik + SL	WNMG080412-UR_ YG1001	Gruba Obrada	10	5,85
	WNMG080416 Čelik + SL	WNMG080416-UR_ YG1001	Gruba Obrada	10	5,85
	WNMG (CELIK)		Kvalitet : YG3015		
	WNMG060408 Čelik	WNMG060408-UG-YG3015	Normalna Stabilna	10	5,85
	WNMG080408 Čelik	WNMG080408-UG-YG3015	Normalna Stabilna	10	6,45
	WNMG080412 Čelik	WNMG080412-UG-YG3015	Normalna Stabilna	10	6,45
	WNMG080416 Čelik	WNMG080416-UG-YG3015	Normalna Stabilna	10	6,45
	WNMG080408 Čelik	WNMG080408-UM-YG3015	Normalna Nestabilna	10	6,45
	WNMG080412 Čelik	WNMG080412-UM-YG3015	Normalna Nestabilna	10	6,45
	WNMG080416 Čelik	WNMG080416-UM-YG3015	Normalna Nestabilna	10	6,45

	WNMG080408 Čelik	WNMG080408-UC-YG3015	Srednje Gruba Obrada	10	6,45
	WNMG080412 Čelik	WNMG080412-UR-YG3015	Gruba Obrada	10	6,45
	WNMG080416 Čelik	WNMG080416-UR-YG3015	Gruba Obrada	10	6,45
	CCMT (CELIK)			Kvalitet : YG801	
	CCMT060204-Čelik Vc (m/min.) 120-200	CCMT060204-UG_D-YG801	Normal – Stab.Obrada	12	3,50
	CCMT09T304-Čelik Vc (m/min.) 120-200	CCMT09T304-UG_D-YG801	Normal – Stab.Obrada	12	3,80
	CCMT09T308-Čelik Vc (m/min.) 120-200	CCMT09T308-UG_D-YG801	Normal – Stab.Obrada	12	3,80
	CCMT060204-Čelik Vc (m/min.) 120-200	CCMT060204-UG_D-YG801	Normal – Stab.Obrada	12	3,50
	CCMT060208-Čelik Vc (m/min.) 120-200	CCMT060208-UG_D-YG801	Normal – Stab.Obrada	12	3,50
	CCMT120408- Čelik Vc (m/min.) 120-200	CCMT120408-UG-YG801	Normal – Stab.Obrada	10	5,85
	CCMT (CELIK+SL)			Kvalitet : YG1001	
	CCMT09T308- Čelik+S.Liv	CCMT09T308-UG-YG1001	Normal – Stab.Obrada	10	5,02
	CCMT (CELIK+SL)			Kvalitet : YG3015	

	CCMT060204-Čelik + SL	CCMT060204-UF-YG3015	Fina obrada	10	4,62
	CCMT120408-Čelik + SL	CCMT120408-UG-YG3015	Normal – Stab.Obrada	10	6,45
	DCMT (Celik)		Kvalitet : YG801		
	DCMT11T304-Čelik Vc (m/min.) 120-200	DCMT11T304-UG_D-YG801	Normal – Stab.Obrada	12	4,00
	DCMT11T308-Čelik Vc (m/min.) 120-200	DCMT11T308-UG_D-YG801	Normal – Stab.Obrada	12	4,00
	DCMT070204- Čelik Vc (m/min.) 120-200	DCMT070204-UG-YG801	Normal – Stab.Obrada	10	4,62
	DCMT11T304- Čelik Vc (m/min.) 120-200	DCMT11T304-UF-YG801	Fina obrada	10	5,45
	DCMT (Celik + SL)		Kvalitet : Y1001		
	DCMT11T304- Čelik+Sivi Liv	DCMT11T304-UG-YG1001	Normal – Stab.Obrada	10	5,45
	DCMT11T308- Čelik+Sivi Liv	DCMT11T308-UG-YG1001	Normal – Stab.Obrada	10	5,45
	VNMG (Celik)		Kvalitet : YG801		
	VNMG160404-Čelik Vc (m/min.) 120-200	VNMG160404-UF_D-YG801	Fina Obrada	12	5,20
	VNMG160408-Čelik Vc (m/min.) 120-200	VNMG160408-UG_D-YG801	Normal – Stab.Obrada	12	5,20

VNMG160412- Čelik Vc (m/min.) 120-200	VNMG160412-UR-YG801	Gruba Obrada	10	7,53
VNMG160404- Čelik Vc (m/min.) 120-200	VNMG160404-UF-YG801	Fina Obrada	10	7,53
VNMG160408- Čelik Vc (m/min.) 120-200	VNMG160408-UG-YG801	Normal – Stab.Obrada	10	7,53
VNMG (Čelik + SL)		Kvalitet : YG1001		
VNMG160408- Čelik+Sivi Liv	VNMG160408-UG-YG1001	Normal – Stab.Obrada	10	7,53
VNMG160408- Čelik+Sivi Liv	VNMG160408-UC-YG1001	Sred.Gruba- Stab.Obrada	10	7,53
VNMG160404- Čelik+Sivi Liv	VNMG160404-UC-YG1001	Sred.Gruba- Stab.Obrada	10	7,53
VNMG160412- Čelik+Sivi Liv	VNMG160412-UM-YG1001	Normal – Nest.Obr.	10	7,53
VNMG160412- Čelik+Sivi Liv	VNMG160412-UR-YG1001	Gruba Obrada	10	7,53
VNMG160404- Čelik+Sivi Liv	VNMG160404-UG-YG1001	Normal – Stab.Obrada	10	7,53
VNMG160412- Čelik+Sivi Liv	VNMG160412-UG-YG1001	Normal – Stab.Obrada	10	7,53
VNMG160408- Čelik+Sivi Liv	VNMG160408-UM-YG1001	Normal – Nest.Obr.	10	7,53
VNMG160412- Čelik+Sivi Liv	VNMG160412-UC-YG1001	Sred.Gruba- Stab.Obrada	10	7,53
VNMG (Čelik)		Kvalitet : YG3015		
VNMG160412- Čelik	VNMG160412-UM-YG3015	Normal – Nest.Obr.	10	8,28

VNMG160412- Čelik	VNMG160412-UR-YG3015	Gruba Obrada	10	8,28
VBMT (Čelik)		Kvalitet YG801		
VBMT160404-Čelik Vc (m/min.) 120-200	VBMT160404-UG_D-YG801	Normal – Stab.Obrada	12	5,20
VBMT160408- Čelik Vc (m/min.) 120-200	VBMT160408-UG-YG801	Normal – Stab.Obrada	10	5,20
VCMT (Čelik)		Kvalitet YG801		
VCMT160404-Čelik Vc (m/min.) 120-200	VCMT160404-UG-YG801	Normal – Stab.Obrada	10	7,53
VCMT160408-Čelik Vc (m/min.) 120-200	VCMT160408-UG-YG801	Normal – Stab.Obrada	10	7,53
SCMT (Čelik)		Kvalitet YG801		
SCMT09T304- Čelik Vc (m/min.) 120-200	SCMT09T304-UG-YG801	Normal – Stab.Obrada	10	5,45
SCMT (Čelik + SL)		Kvalitet YG1001		
SCMT09T304 -Čelik+SL	SCMT09T304-UG-YG1001	Normal – Stab.Obrada	10	5,45

	SCMT09T308 -Čelik+SL	SCMT09T308-UG-YG1001	Normal – Stab.Obrada	10	5,45
	SCMT120408-Čelik+SL	SCMT120408-UG-YG1001	Normal – Stab.Obrada	10	8,96
	TCMT		Kvalitet YG801		
	TCMT110204-Čelik Vc (m/min.) 120-200	TCMT110204-UG-YG801	Normal – Stab.Obrada	10	4,62
	TCMT16T304- Čelik Vc (m/min.) 120-200	TCMT16T304-UF-YG801	Fina Obrada	10	6,07
	TCMT16T308- Čelik Vc (m/min.) 120-200	TCMT16T308-UG-YG801	Normal – Stab.Obrada	10	6,07
	TCMT		Kvalitet YG1001		
	TCMT110204- Čelik+Sivi Liv	TCMT110204-UG-YG1001	Normal – Stab.Obrada	10	4,62
	TCMT16T308- Čelik+Sivi Liv	TCMT16T308-UG-YG1001	Normal – Stab.Obrada	10	6,07
	TCMT16T304- Čelik+Sivi Liv	TCMT16T304-UG-YG1001	Normal – Stab.Obrada	10	6,07